



## MATERIAL SAFETY DATA SHEET

Revised/Reviewed: June 18, 2010

### Surgical Instrument Cleaner

A biodegradable, phosphate-free formula for ultrasonic and manual cleaning of surgical instruments.

#### Section 1- Product and Company Information

Manufactured by: Miltex, Inc., 589 Davies Drive, York, PA 17402

Information: 717-840-9335, 717-840-9347 (fax)

Chemical Name & Synonyms: --

Chemical Formula: --

#### Section 2 – Composition/ Information on Ingredients

Components: Water, Sodium Dodecylbenzene Sulfonate, Propylene Glycol, Linear Alcohol Ethoxylate, Cocamide Diethanolamide, Tetrasodium EDTA, Sodium Xylene Sulfonate, and Citric Acid.

OSHA PEL and ACGIH TLV information contains no data for all components.

This product is not identified as a hazardous material under criteria of OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### Section 3 - Health Identification

Threshold Limit Value: Not established

Over Exposure Effects: Can cause skin and eye irritation. Vapor inhalation can irritate nose, throat, and respiratory tract. May cause nausea if ingested and Tetrasodium EDTA will sequester calcium, which could be harmful to bones.

Chronic Effects: Repeated excessive ingestion may cause central nervous system effects. Could be harmful to bone structure.

Carcinogenicity: No known carcinogenic effects. **NTP: ND IARCX: ND OSHA: ND**

LD (Oral): LD<sub>50</sub> (oral) 630-1260 mg/kg (rats), 2.6 ml/kg (rabbit)

LC (Inhalation): 800mg/m<sup>3</sup> (guinea pigs)

LD (Skin): 5.7 ml/kg (rabbit)

#### Section 4 - First Aid Measures

Eyes: Flush with tepid water for at least 15 minutes. Hold eyelids apart during flushing to ensure rinsing of entire eye and lid surface. *Do not* attempt to neutralize with chemical agents. Oil and ointments should not be used at this time. As needed, seek medical attention as soon as possible.

Skin: if in contact with skin, wash off with mild soap and water. Rinse with copious amounts of water. If dry skin results, apply a moisturizing cream or lotion.

Ingestion: *Do not* induce vomiting. Give a glass of water. If vomiting occurs, again give fluids. Do not give anything to an unconscious or convulsing person. Have medical personnel determine if evacuation of the stomach or induction of vomiting is necessary.

Inhalation: If any ill effects are noticed, remove person to fresh air.

### Section 5 – Fire Fighting Measures

Flash Point (Test Method): Non-combustible

Auto Ignition Temperature: Not applicable

Flammable Limits – LEL: Not applicable UEL: None

Extinguishing Media: Water, carbon dioxide, and dry chemical

Special Fire Fighting Procedures: Self-contained breathing apparatus

Unusual Fire and Explosion Hazards: fire may produce irritating gas, fumes, or vapor (CO, Propionaldehyde). Exposed firefighters should wear MSHA/NIOSH approved self-contained breathing apparatus with full-face mask and full protective equipment.

### Section 6 - Physical and Chemical Properties

Physical State: Liquid at ambient temperature.

Appearance and Odor: Clear yellow liquid with a slight ammonical odor.

Boiling Point (°C): N/A

Specific Gravity (Water=1): 1.05-1.09 pH: 7.05 – 7.65

Evaporation Rate (butyl acetate=1): Not determined Vapor Pressure (mm Hg): Not determined

Vapor Density (Air=1): Not determined Solubility in Water: Soluble

### Section 7 – Stability and Reactivity

Stability: Stable

Conditions to Avoid: Contact with strong acids. Do not mix with bleach. Do not expose to high heat.

Incompatibility/Materials to Avoid: Strong oxidizing materials.

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Irritating or toxic substances may be emitted upon thermal decomposition. In a fire situation, Propionaldehyde and CO could be emitted in the presence of limited oxygen. Aldehydes, acids, and ketones could also be released.

### Section 8 – Accidental Release, Disposal, and Ecological Information

Spill Response: Soak up liquid with absorbent material and place the material in a chemical waste chemical container for disposal.

Waste Disposal Method: Dispose of in accordance with all applicable federal, state, and local regulations.

Ecological, General: Not determined.

### Section 9 – Exposure Controls/ Personal Protection

Eye Protection: Goggles or lab safety glasses.

Respiratory Protection: Not required

Ventilation Recommendations: general room ventilation is normally sufficient.

Skin Protection: rubber or plastic gloves.

Other: As required to minimize skin contact.

## Section 10 – Storage and Handling

Storage: Store in a cool, dry area. Keep container closed when not in use.

Handling: Use gloves to protect skin from drying and possible irritation. Application of a moisturizing compound will help prevent skin problems. Keep food away from the work area and wash hands and face thoroughly before eating.

## Section 11 – Miscellaneous

### Shipping information:

DOT Hazard Class: Not regulated    DOT shipping Name: Cleaning Compound; Liquid

DOT Label Required: None    RQ Quantity: N/A    UN #: N/A    DOT Guide #: N/A

Packaging Size: 8 oz. Bottles    DOT Packaging Group: N/A    Marine Pollutant: No

### Regulatory Information

SARA Title III (Sect. 313) Toxic Chemicals: None    (Sect. 302) EHS: None

(Sect.311, 312) HAZ Classified Acute: Yes    Chronic: No    Fire: No    Reactivity: No    Pressure: No

Suspect Carcinogen /IARC, NTP, OSHA: No

Liability Disclaimer: MSDS information is provided based on OSHA's Hazardous Communication Regulation and for use of the persons required to receive this information under this regulation. The information is neither designed nor recommended for any other use or for use by any other person, including compliance with other laws. Miltex does not warrant the suitability for use of this MSDS for any other material or product not specifically identified herein. Miltex does not warrant the accuracy or authenticity of this MSDS unless it has been obtained directly from Miltex, or posted or viewed on a Miltex website. This MSDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under Miltex's control, each user is responsible for making their own determination as to the safe and proper handling of this material in their own particular use of this material. Miltex makes no representation or warranty, either expressed or implied, including as to merchantability or fitness for a particular purpose.